

# T. 9, R. 2 W. 1<sup>st</sup> Mer.

Boundary line, 11.

3	5	2	2	1	1	
6	29 <sup>31</sup>	5	23	4	31 <sup>32</sup>	3
38	30 <sup>31</sup>	32	31 <sup>32</sup>	33	33 <sup>34</sup>	1
7	29 <sup>31</sup>	8	23	9	31 <sup>32</sup>	10
22	22	19	18	17	17	12
11	18	17	16	15	14	13
38	38	36	36	35	35	36
10	19	20	21	22	23	24
20	19	14	15	16	16	
10	30	29	28	27	26	25
40	40	42	42	44	44	45
9	31	32	33	34	35	36
6	6	5	5	4	4	

# T. 10, R. 2 W. 1<sup>st</sup> Mer.

Boundary line 54.

48	48	47	47	47	
5	4	3	2	1	52
72	71 <sup>72</sup>	70 <sup>72</sup>	69 <sup>70</sup>	68 <sup>70</sup>	
8	9	10	11	12	52
59	59	60	61	62	
17	16	15	14	13	53
75	74 <sup>76</sup>	74 <sup>76</sup>	73 <sup>74</sup>	72 <sup>74</sup>	
19	20	21	22	23	24
65	65	64	64	63	62
30	29	28	27	26	25
80	80	78	78	76	76
31	32	33	34	35	36
51	51	50	50	49	49

T. T. R. D. (W. A. New)

Township No. 9. Range No. 2. West of Mer.  
Indiana

North Boundary of T. No. 9. R. No. 2. W.  
West 1<sup>st</sup> Mile West from the N. East corner  
13.50 a Water course 5 lks. wide runs N 20 W  
16.00 a Beech 15 ins. dia  
23.15 a Water course 4 lks. wide runs N 85 W  
36.80 a Hickory 18 ins. dia  
56.58 a Poplar 18 " "  
70.54 over rich level land timbered with Oak, Ash Sugar tree  
& Beech, came to a stream 4 lks. wide, runs N 20 W  
71.00 a White Oak 18 ins. dia  
80.00 over rich level land timbered with Oak Ash Sugar tree  
& Beech, much underbrush - set stake at the corner of Sec.  
No. 142 T. No. 9. R. No. 2 W - a Poplar 28 ins. dia. bears  
N 28 W 14 lks. dia. & a gum 16 ins. dia. bears S 27 W 4 lks. dia -

West 2<sup>d</sup> Mile West  
4.40 an Oak 20 ins. dia  
9.00 over level land, rich soil, Oak, Ash &c. begin to descend  
17.00 Descended a hill to a stream 18 lks. wide runs N 20 W  
rapid & strong  
19.00 Begin to ascend a hill  
24.00 passed over a small hill to a water course runs N 10 W  
25.00 Begin to rise a hill  
28.25 a Sugar tree 12 ins. dia  
35.38 over rough points of hills to a water course 4 lks. - runs N 10 E  
47.00 over rough points of hills thin soil timber Oak Hickory  
&c. commenced in rich land  
48.75 a Blue Oak 16 ins. dia  
50.15 a stream 5 lks. wide runs N 60 W  
70.00 a stream of water 25 lks. wide runs to left of the line  
73.00 crossed stream again 30 lks. wide, runs N 60 W  
77.20 over rich bottom land, timbered with Oak, Ash, Walnut &c.  
Intersected the line run North from the corner of Sec.



# *S. G. R. D. W. 1<sup>st</sup> Meas.*

No. 10. 11. 14 & 15 Y. No. 9. R. No. 2. W & fell North of  
the end of that line 3 chains continued said line North  
set stake at the corner of Sec. No. 2 & 3. T. No. 9. R. No.  
2. W. a Blue Ash 20 ins. dia. bears S 47° W 15 lbs.  
dia. & a Buckeye 16 " " 23 lbs. dia. bears S 63° E  
Marked & numbered to the plan

## *West 3<sup>rd</sup> Mile West*

5.90 a White Ash 16 ins. dia  
7.50 a Water course 30 lbs. wide, runs S 65° W  
26.88 a Hackberry 15 ins. dia.  
42.50 a Stream 50 lbs. wide runs S 80° W came over rich  
bottom timbered with Oak, Ash. Walnut &c  
56.00 over rich bottom  
56.70 Rose a small ascent - a Sugar tree 13 ins. dia  
76.68 a Honey Locust 15 ins. dia  
80.00 over rich fertile bottom timbered with Ash. Walnut,  
Buck &c. set stake at the corner of Sec. No. 3 & 4.  
T. No. 9. R. No. 2. W. a Hackberry 28 ins. dia 29 lbs.  
dia. bears S 70° W. & another Hackberry 24 ins. dia.  
14 lbs. dia. bears S 45° E - Marked & numbered  
to the plan.

## *West 4<sup>th</sup> Mile West*

6.00 Came to a Stream 50 lbs. wide. runs S 40° W, rapid  
& stony, came over rich bottom  
7.00 Begin to ascend steep hill  
18.53 Rose steep hill - a White Oak 12 ins. dia.  
30.50 a Blue Ash 16 ins. dia.  
35.00 Descended hill  
43.00 Down a continued descent to a stream 4 lbs. wide, runs  
S 20° W begin to ascend steep hill  
46.50 over a small hill to rich bottom.  
54.60 a Sycamore 6 feet diam.  
65.00 came over rich bottom to White Water River,  
I suppose to be the N. East fork.

- 68.50 Crossed White water river somewhat rapid  
 74.00 over rich bottom land to the foot of a hill  
 79.40 Rose the hill - a Sugar tree 18 ins. dia  
 80.00 Set stake at the corner of Sec. 4 & 5. T. No. 9.  
 R. No. 2. West of Mer.

West 5<sup>th</sup> Mile West

- 6.20 a Buck 16 ins. dia  
 14.72 a Buck 18 ins. dia. on the top of a bank, a ridge  
 or stream to the right  
 27.00 Rose steep hill, rich soil, timbered with Oak, Ash,  
 Sugar tree &c. begin immediately to descend  
 40.80 Down steep hill to a water course runs North & come  
 over land much covered with brush  
 46.50 descended a hill to a stream 30 yds. wide, runs N & E  
 rapid & stony  
 80.00 over rough, hilly land one hill succeeding another,  
 very steep & thin soil timbered with Oak, Hickory &c.  
 Set stake at the corner of Sec. (No. 5 & 6 T. No. 9. R. No.  
 2. West - a Sugar tree 12 ins. dia. bears S 16 E 38 ins. dia  
 & a Hickory 16 ins. dia. bears S 27 W 37 ins. dia -  
 Marked & numbered to the place. Sep. 27. 1800

6<sup>th</sup> Mile West

- 6.50 Descended steep hill: begin to rise another  
 9.54 an Elm 16 ins. dia  
 10.00 Rose steep hill  
 14.74 a Gum 15 ins. dia  
 17.00 Descended a gradual descent to a water course 4 yds.  
 wide runs North, the whole of this line very brushy.  
 26.20 a water course 6 yds. wide runs N 30 E commenced on  
 level land  
 36.77 a Buck 14 ins. dia  
 49.20 over level land soil 2<sup>d</sup> rate timbered with Oak, Ash,  
 Buck &c. intersected the Indian Boundary 350 yds.  
 South of the 56 mile post from the Ohio a Hickory

# S. I. R. I. W. 1<sup>st</sup> Mer.

12 ins. dia. bears N 41 W 36 lbs. dia. & a Gum 13 ins. dia. bears S 47 E 44 lbs. dia. Marked & numbered to the plan  
Oct. 1800.

## South Boundary of S. No. 9. R. No. 2 W. 1<sup>st</sup> Mile West from the South East corner

- 22.18 a White Oak 24 ins. dia  
40.00 a Spring branch runs S 75 W  
56.40 a Water course 3 lbs. wide, runs S 30 E  
61.4 a Hickory 30 ins. dia  
62.00 over level land timbered with Beech, Sugar tree & Oak - good soil for small grain  
80.00 over hilly land much covered with underbrush thinly timbered with Oak, Beech & Ash. Soil Dark, set stake at the corner of Sec. No. 35 & 36, S. No. 9. R. No. 2. West a Beech 16 ins. dia. bears 23 lbs. dia. bears N 3 W - & a White Oak 28 ins. dia. bears N 18 E 55 lbs. dia. Marked & numbered to the plan

## West 1<sup>st</sup> Mile West

- 7.40 a White Oak 20 ins. dia. ascending towards a stream  
10.00 Descending hill to a small bottom  
14.50 a Beech 20 ins. dia  
19.54 a Stream 14 lbs. wide runs S 30 E  
25.95 Begin to rise a hill  
31.00 Rose the hill, begin immediately to descend  
38.00 a Hickory 18 ins. dia  
41.00 descended the hill, begin immediately to ascend again  
48.55 an Ash 15 ins. dia  
60.00 Descended a hill - a lick 5 lbs. to the left of the line much frequented by Deer  
80.00 over descending ground, rich soil, the whole mile rich, timbered with Ash, Sugar tree &c. set stake at the corner of Sec. No. 34 & 35, S. No. 9. R. No. 2. W. a Hickory 16 ins. dia. 75 lbs. dia. bears N 46 E,

5

J. I. R. L. W. 1<sup>st</sup> Mer.

& a Blue Ash 18 ins. dia. bears \$20 W. 10 lbs. dis  
Marked & numbered to the plan

---

West 3<sup>rd</sup> Mile West

- 8.00 a Blue Ash 18 ins. dia  
22.00 a Stream 12 lbs. wide runs South, came over  
level land, timbered with Ash. Sugar tree &c.  
36.44 a White Oak 14 ins. dia.  
41.65 a Small Stream 4 lbs. wide, runs South.  
54.00 a Spring branch runs S<sup>80</sup>E  
58.48 a Blue Ash 20 ins. dia  
68.00 over a beautiful flat of land rich soil timbered  
with Ash. Walnut &c.  
80.00 Set stake at the corner of Sec. No. 33 & 34. T. No. 9. R.  
No. 2. W. of the Mer. a Cherry 13 ins. dia. bears  
N 56 W 60 lbs. dis. & a Lynn bears S 73 E 20 ins. dia  
55 lbs. dis. Marked & numbered to the plan

---

West 4<sup>th</sup> Mile West

- 2.00 a small creek 50 lbs. wide runs S 12 E  
4.00 Begin to ascend steep hill  
13.45 a White Oak 24 ins. dia  
18.80 ascended steep hill, begin immediately to descend  
towards White water River  
23.54 a White Oak 18 ins. dia  
29.50 Down a steep hill to the River bottom  
36.00 Came to White Water river, marked & numbered  
trees on the bank took the distance over the river  
line crosses it obliquely, not fordable at this place  
46.00 over the river on my course, River 4 lbs. wide  
61.80 a Sycamore 20 ins. dia.  
78.70 a Maple 18 " "  
80.00 over low Sycamore bottom - Set stake on the bank  
of the River 25 lbs. from the edge of the water at  
the corner of Sec. No. 32 & 33. Township No. 9. R.  
No. 2. W. a Honey Locust 15 ins. dia. 16 lbs. dis -

# G. I. R. L. W. 1<sup>st</sup> Nov.

bears S. W. & a Sycamore 13 ins. dia. 22 lbs. dia.  
bears N. E. — Marked & numbered to the plan

West

5<sup>th</sup> Mile West

- 30.00 On Low Sycamore bottom  
 30.50 Rose a small bank  
 33.25 a Water course 12 lbs. wide runs N. comes from N 15 E  
 39.65 a Hickory 24 ins. dia. begin to ascend a hill  
 53.18 a Sugar tree 16 ins. dia  
 55.00 ascended hill timbered with Oak, Hickory Sugar tree  
 &c. thin soil  
 56.00 Begin to descend  
 68.00 a Water course 5 lbs. wide runs N 10 E  
 68.50 Begin to ascend another hill  
 73.25 a White Oak 18 ins. dia  
 75.50 Rose a hill thin soil timbered with Oak, Hickory  
 &c. much under bushes & briars, thin soil  
 80.00 Set stake on the side of a hill, thin poor land  
 timbered with Oak & Hickory — Set stake at the  
 corner of Sec. No. 31 & 32. T. No. 9. R. No. 2. W.  
 a White Oak 16 ins. dia. bears N 41 E 40 lbs. dia.  
 & a Blue Ash sapling 6 ins. dia. bears S 43 W  
 19 lbs. dia. Marked & numbered to the plan

West

6<sup>th</sup> Mile West

- 12.00 descended a hill to a creek bottom  
 15.60 over bottom land, to a Water course 50 lbs. wide  
 in which water runs in a Wet time, runs N 30 W  
 19.25 a Sycamore 8 feet in diameter  
 32.00 a Do 48 ins. dia.  
 34.50 came to a stream 1 chain wide,  
 35.50 crossed the stream, runs N 20 E comes from N 50 W  
 36.00 crossed a small bar of gravel covered with Willows,  
 came to a pond.  
 39.00 crossed the pond begin to ascend a steep hill  
 50.00 Rose the side of a steep hill entirely covered with



# S. G. R. D. W. 1<sup>st</sup> Mer.

7

- brush & briars, poor land, came to a Hickory 18 ins. dia. in the line continue rising the hill.
- 60.00 Rose the hill, timber with Oak. Hickory &c. much brush & poor land
- 75.00 on the top of a poor barren hill covered with brush and briars
- 80.00 Descending a hill, poor barren land covered with brush. Set stake. — October 3<sup>d</sup> 1800

- East Boundary of S. No. 9. R. No. 2. W.
- North 1<sup>st</sup> Mile from the S. East Corner
- 8.89 a Black Oak 20 ins. dia
- 19.10 a White " 20 " "
- 47.75 a " " 40 " "
- 50.00 over a handsome flat of land, heavily timbered with Oak. Hickory Ash &c. fine meadow land or handsome for cultivation — Set stake at the corner of Sec. No. 30 & 25 S. G. R. D. W. on the West Boundary of Township No. 9. Range No. 1. a Birch 20 ins. dia. bears N 60 E 25 lbs. dist. a Hickory 44 " " 18 lbs. dia. bears S 83 E & marked & numbered to the plan

- North 2<sup>d</sup> Mile North
- 20.00 a Black Oak 20 ins. dia
- 38.25 a White Oak 28 " "
- 46.00 a White Oak 36 ins. dia. in the line came over land timbered with Oak. White Oak, Black Oak, &c. fine land for meadow
- 78.54 over a handsome flat of land 1<sup>st</sup> rate Timbered with Oak. Oak, Hickory, Sugar tree & Walnut. — fell 20 lbs. to the West of the end of a line run from the corner of Sec. No. 26. 27. 22 & 23 S. G. R. D. W. Set stake at the intersection at the corner of Sec. No. 25 & 24 S. G. R. D. — a White Oak 11 ins. dia. bears N 57 E 15 lbs. dia. & a White Oak 20 ins. dia. 19 lbs. dia. bears



# G. I. R. D. W. 1<sup>st</sup> Mer.

S 45 W - marked & numbered to the plan

North

3<sup>rd</sup> Mile North

- 8.20 a Beech 16 ins. dia  
 11.50 a stream 4 lbs. wide runs S 19 W  
 21.10 an Ash 18 ins. dia  
 40.70 a White Ash 20 ins. dia  
 46.26 a water course 4 lbs. wide, runs S 30 E  
 48.40 a White Ash 20 ins. dia  
 50.00 over level land timbered with Oak, Ash, Beech, & set stake at the corner of sec. (No. 24 & 13. G. I. R. D. W.)  
 a Beech 19 ins. dia. 18 lbs. dia. bears S 2. W. &  
 a White Ash 22 ins. dia. 30 lbs. dia. bears N 55 E  
 Marked & numbered to the plan

North

4<sup>th</sup> Mile North

- 22.46 a Hickory 20 ins. dia  
 35.70 a Spring branch 4 lbs. wide, runs N 30 E  
 37.5 a Beech 30 ins. dia  
 46.53 a small stream runs S 55 E 4 lbs. wide  
 50.49 a White Ash 22 ins. dia  
 61.00 a stream 60 lbs. wide to the East of the line  
 8 lbs. wide  
 69.00 a stream 150 lbs. East of the line  
 76.00 a stream 7 lbs. wide runs S 5 E  
 80.00 over level land heavily timbered with Oak, Beech & Sugar tree, rich land beautiful for cultivation  
 set stake at the corner of sec. (No. 12 & 13. G. I. R. D.)  
 a White Ash bears N 86 W 22 lbs. dia. 18 ins. dia. & a Beech 10 ins. dia. bears S 60 E 10 lbs. dia.  
 Marked & numbered to the plan

North

5<sup>th</sup> Mile North

- 4.50 a Beech 14 ins. dia  
 19.25 an Elm 36 ..  
 48.25 a White Ash 18 ins. dia

- 54.28 a Hickory 24 ins. dia  
 72.00 a White Oak 39 ins. dia. in the line, came to a swampy wet piece of land  
 80.00 over a swamp or pond, set stake at the corner of Sect. No. 12 & 1 Town No. 9. Range No. 2 - a Black Ash 12 ins. dia. bears N 57 W 50 lbs. dia. & a Gum 24 ins. dia. bears S 53 E 23 lbs. dia. - Measured & numbered to the place -

North 6<sup>th</sup> Mile North

- 1.89 a White Oak 20 ins. dia  
 5.00 in a swamp timbered with B. Oak. May 14<sup>th</sup> 1880  
 17.25 an Elm 14 ins. dia  
 27.70 a Beech 14 ins. dia. came over wet swampy land timbered with (Maple). Gum &c.  
 40.50 a Beech 17 ins. dia  
 62.10 a Stream 10 lbs. wide runs N 80 E  
 80.00 a Sugar tree 20 ins. dia - came over level flat land timbered with Oak, Ash. Sugar tree & Beech, rich soil

West Boundary of T. No. 9. R. No. 2. W. North 1<sup>st</sup> Mile North from the S. West corner

- 12.00 Rose a hill  
 13.00 Begin to descend the hill  
 20.98 a Hickory 22 ins. dia  
 31.80 Descended steep hill to a stream 30 lbs. wide runs N 70 E came over land much covered with underbrush, poor soil & stony  
 33.00 Begin to rise steep hill  
 34.40 a White Oak 18 ins. dia  
 47.00 Rose a steep hill  
 52.00 a Sugar tree 13 ins. dia  
 80.00 over very rough broken land. The whole of this mile thinly timbered with Oak, Hickory, Ash & some Sugar tree, much under brush, thin poor soil - set stake at the corner of Sect. No. 36 & 25

# S. 9. R. 2. W. (1<sup>st</sup>) Mer.

Town No. 10. Range No. 3. & corner of Sect. No. 31 & 30 Town No. 9. R. No. 2. W. a Hickory 18 ins. dia. bears S 20 E 45 lbs. dia. & another Hickory 20 ins. dia. 76 lbs. dia. bears N 28 W. Marked and numbered to the plan

North	2 <sup>nd</sup> Mile North
10.00	descended steep hill
11.10	an Elm 20 ins. dia
15.00	a Water course 8 lbs. wide, runs N 20 E
23.00	over rough hilly land, timbered with Oak, Ash & Sugar tree, rich soil
24.00	a Stream 2 chains East at right angles
27.74	a White Ash 18 ins. dia
32.00	on the East side of a hill, a water course 50 lbs. East of the line
36.50	came to a stream 10 lbs. wide
39.00	in the stream, at this place runs N 40 E
40.00	a Hackberry 16 ins. dia
47.00	over beautiful bottom, timbered with Ash, Walnut, Sugar tree, Hackberry &c. came to the West fork of White Water River
49.80	crossed the River
49.92	Intersected the line run from the corner of Sect. No. 20. 21. 28 & 29 Town No. 9. Range No. 2. W. & fell East of the end of that line 3 chs. Set stake on the bank of the River at the corner of Sect. No. 24 & 25 Town No. 10. Range No. 3 <sup>rd</sup> W & at the corner of Sect. No. 30 & 19. Town No. 9 R. No. 2. W. - a Sycamore 18 ins. dia. bears N 71 W 60 lbs. dia. & another Sycamore 15 ins. dia. bears N 52 E 30 lbs. dia. Marked & numbered to the plan

North	3 <sup>rd</sup> Mile North
18.00	a Hickory 18 ins. dia.

- 38.10 Came to River, passed over beautiful bottom timbered with Oak, Walnut, Hackberry &c
- 47.80 In the edge of the River
- 48.00 Rose the bank
- 50.00 Begin to rise steep hill
- 65.00 Rose very steep hill
- 75.50 a Sugar tree 18 ins. dia
- 80.00 over land of a changing surface, but not fully timbered with Oak, Hickory & Sugar tree, much under brush - Set stake at the corner of Sec. No. 24 & 13 Town (No. 10. Range No. 3 & corners of Sec. No. 18 & 19 Town (No. 9. Range No. 2. W. a Sugar tree 12 ins. dia bears S 20° E 8 lks. dis. & another Sugar tree 10 ins. dia. bears N 22° W 31 lks. dis. Marked & numbered to the plan

North 4<sup>th</sup> Mile (North)

- 14.90 a Hickory 15 ins. dia
- 31.50 a Poplar 40 ins. dia - came over level land, timbered with Oak, Hickory & some Poplar, good for small grain
- 42.77 Descend a hill to a stream 3 lks. wide, runs S 5° W
- 44.93 a Beech 18 ins. dia. ascending a hill
- 71.95 a Beech 17 " "
- 75.40 Over-hilly land, but not so uneven as to prevent cultivation timbered with Oak, Beech & Sugar tree came within 4 lks. of a corner already established on the Indian Boundary line & the end of a line run West from the corner of Sec. No. 8 & 9 14 & 16 Township No. 9 R. No. 2. W. corner remains as was established agreeable to the plan

Indian or part of the West Boundary of Township No. 9 Range No. 2 W. of Mer. Commenced at the 5<sup>th</sup> mile post on the Indian boundary line which was run from

S. 9. R. D. W. 1<sup>st</sup> Mer

the North bank of the Ohio River opposite to  
the Mouth of the Kentucky River to  
Fort Recovery

At 5.256

54<sup>th</sup> Mile

25.50 a Water course & deep hollow descending West  
the Hill descends West

26.95 a Sugar tree 10 ins. dia

41.00 a small Water course descends West

47.78 a Poplar 24 ins. dia

49.00 a small Water course descends West, land  
gently rising each side

60.00 rather level land, timber principally Beech  
& White Oak

77.50 a small Water course descends N. East

80.00 Set a post from which a Beech 10 ins. dia  
bears S 64° W 14 lbs. dia. & a Beech 14 " "

" At 61° W 11 lbs. dia. over land of a mid-  
-dling quality, some places broken with hells  
timber as the last mile

55<sup>th</sup> Mile

2.00 a Water course descends S. East

21.07 a White Oak 22 ins. dia. level land free  
from under growth, Beech & W. Oak timber

45.00 a Water course descends N. E.

50.41 a Hickory 20 ins. dia

80.00 Set a post from which a Poplar 20 ins. dia  
bears S 40° W 17 lbs. dia. & a White Gum 15 ins  
dia. bears N 34° E 12 lbs. dia — over level open  
woods. Beech, White & Red Oak, Hickory,  
W. Oak & Sugar tree timber

## Subdivision of 2 Mile blocks

North Between Sec. No. 34 & 35

2.50 a Stream 10 lbs. wide, runs S & W

3.00 an Elm tree



5.00 Begin to rise a hill  
 10.90 Rose the hill, came over rich land timbered with  
 Ash and Sugar tree  
 18.55 a White Oak 24 ins. dia  
 48.00 over hilly land thinly timbered with Oak & Hickory  
 much under brush  
 49.00 a Beech 12 ins. dia  
 58.48 a Stream 7 lbs. wide runs S  $\frac{7}{10}$  W. begin to rise a hill.  
 71.70 a Sugar tree 18 ins. dia  
 80.00 over level land timbered with Oak, Sugar tree & Beech  
 good soil for small grain - set stake at the corner  
 of Sect. (No. 34 & 35. 26 & 27 - a Beech 14 ins. dia  
 bears N 60 W 15 lbs. dia. & Sugar tree 10 lbs. dia. bears  
 N 45 E 10 ins. dia - marked & numbered to the plan

North Between Sect. (No. 26 & 27  
 5.18 a Beech 16 ins. dia. descending towards a stream  
 10.50 a stream of water 10 lbs. wide, runs S 6 E  
 20.65 a Hickory 20 ins. dia.  
 25.00 over hilly land rich soil  
 35.50 a Hickory 20 ins. dia  
 80.00 over a beautiful flat of land timbered with Oak  
 Ash Sugar tree & Hickory - good land for crop of  
 any kind, set stake - May 11<sup>th</sup> 1880

North Between Sect. (No. 32 & 33  
 0.20 came to the water, took the distance across the river  
 being 440 lbs. wide. somewhat rapid  
 8.10 a Sycamore 6 feet dia.  
 15.00 over rich bottom, came to a small rise  
 17.00 ascended the rise  
 36.65 an Oak 20 ins. dia, came over beautiful land,  
 timbered with Ash, Walnut &c. rich soil, came  
 to a small ascent  
 44.00 Rose ascent  
 61.55 a Blue Ash 14 ins. dia.



S. G. R. D. W. 1<sup>st</sup> Mer.

- 67.00 over a rich flat of land, thinly timbered with  
Ash, Walnut & Sugar tree, much under brush,  
begin to rise a hill
- 75.00 Rose a steep hill
- 80.00 Set stake on the North side of a hill at the  
corner of Sec. No. 32. 33. 28 & 29 - came over poor  
land, mostly covered with brush & briars - from the  
corner a hickory 20 ins. dia. bears N 50 W 75 lbs. dia.  
& a sugar tree 9 ins. dia. 24 lbs. dia. bears S 67 E  
Marked & numbered to the plan

## North Between Sec. No. 28 &amp; 29

- 13.30 a Gum 15 ins. dia
- 20.00 over hilly rough land, covered with brush
- 24.50 a Spring branch runs S 8 W
- 36.25 a Gum 16 ins. dia
- 53.2 a Stream 5 lbs. wide, runs West
- 64.8 an Oak 20 ins. dia
- 80.00 over a constant ridge of hills, thinly timbered  
with Hickory, Oak, Ash - 2 rods in point of hills  
Set stake at the corner of Sec. No. 28. 29. 20 & 21  
S. No. 9. R. No. 2 - a Hickory 7 ins. dia. 6 lbs.  
dia. bears S 33 W & another Hickory 3 ins. dia.  
12 lbs. dia. bears N 33 E. Marked and num-  
bered to the plan

## East Between Sec. No. 21 &amp; 28

- 7.85 a White Oak 20 ins. dia
- 10.00 Rose the hill
- 43.45 a White Oak 14 ins. dia
- 56.53 a Buck 20 ins. dia
- 80.00 over level land timbered with Black Oak, White  
Oak, & Hickory, much covered with under brush.  
Set stake at the corner of Sec. No. 21. 22. 28 & 27.  
a Hickory 24 ins. dia. 11 lbs. dia. bears North  
& a Sugar tree 12 ins. dia. 50 lbs. dia. bears N 3 E

Marked & numbered to the plan

East Between Sect. (No. 22 & 27

- 15.10 a Buck 20 ins. dia. came over rich land thinly timbered with sugar tree, much under brush  
22.76 a small stream 10 lbs. wide, runs S 10 E  
23.40 Begin to ascend a small hill  
25.00 Rose the hill  
32.00 Came to a steep pitch of a hill  
34.00 Down the hill to a small bottom  
36.00 Came to a small creek 10 lbs. wide runs S 20 W  
57.00 Came to the last mentioned creek  
55.00 in the channel of a creek, from this bears N 30 W  
begin to rise a rich hill  
79.25 over rich level land timbered with Oak, Hickory & sugar tree. Intersected the line, run from the corner of Sect. (No. 34 & 35. Town (No. 9. 12. (No. 2. & fell 10 lbs. North of the end of that line - set stake at the intersection, at the corner of Sect. (No. 22. 23. 27 & 26 Town (No. 9. R. (No. 2) W. a sugar tree 14 ins. dia. 50 lbs. dia. bears N 54 E & another sugar tree 10 ins. dia. bears S 55 W 12 lbs. dia. —  
Marked & numbered to the plan May 12<sup>th</sup>. 1800

North Between Sect. (No. 22 & 23

- 13.00 descended hill to a stream 14 lbs. wide, runs S 10 W  
18.00 Begin to ascend a hill  
25.50 Rose the hill  
28.14 a White Oak 12 ins. dia.  
55.00 Came to a small descent  
61.00 Down the descent to a stream 10 lbs. wide runs S 50 W  
70.95 a White Oak 14 ins. dia.  
10.00 over ascending ground, the whole of this mile of the same quality, timbered with Oak. ash. sugar tree & some Walnut, much under growth, with spice brush, soil 2<sup>d</sup> rate - set stake at the corner

# S. 9. R. 2. W. 1<sup>st</sup> Mer.

of Sec. (No. 22 & 23. 14 & 15, an Elm 16 ins. dia. 35 lbs. dia. bears N 32° W & a White Oak 18 ins. dia. 1 lb. dia. bears S 67° E. Marked & numbered to the plan

North Between Sec. (No. 14 & 15. S. 9. R. 2. W.

- 27.45 a White Oak 30 ins. dia  
 45.23 a Buck 16 ins. dia  
 70.43 a Honey Locust 15 ins. dia  
 80.00 over level land heavily timbered with Oak & Buck.  
 good land for grass or small grain. Set stakes.

East Between Sec. (No. 23 & 26. S. 9. R. 2. W.

- 10.80 a Spring branch runs N 40° W  
 15.60 another Spring branch 6 lbs. wide, runs N 20° W.  
 18.20 a Sugar tree 14 ins. dia  
 30.00 over land gradually rising & falling, rich soil, thinly  
 timbered with Sugar tree, much under brush  
 64.38 a Buck 12 ins. dia  
 69.4 a small stream 4 lbs. wide, runs N 50° W, came  
 over land of a changing surface, but not hilly  
 timber Oak, Buck & Sugar. good land for small grain  
 73.50 a Spring branch runs N 70° W  
 75.00 a stream 15 lbs. wide, runs N 40° W  
 80.00 over hilly land, thin soil timb. with Oak & Hickory.  
 Set stake at the corner of Sec. (No. 23 & 24. 25 & 26  
 S. 9. R. 2. W. a Hickory tree 20 ins. dia. 30 lbs.  
 dia. bears S 80° W. & a White Oak 12 ins. dia. 35 lbs. dia.  
 bears N 57° E. Marked & numbered to the plan

East Between Sec. (No. 24 & 25. S. 9. R. 2. W.

- 15.39 an Oak 18 ins. dia  
 28.6 a Buck 20 .. ..  
 45.10 a White Oak 36 ins. dia  
 48.80 a Water course 4 lbs. wide runs South  
 63.50 a small stream 3 lbs. wide runs N 70° E  
 70.10 a stream 4 lbs. wide, runs S 30° E

80.00 Over level land timbered with Oak, Ash & Beech. rich 2<sup>d</sup> rate land in print of soil, set stake

West Between Sec. No. 12 & 13. S. 9. R. 2. W.

8.40 a stream 5 fms. wide, runs South  
15.00 a poplar 30 ins. dia  
16.52 a Spring branch runs S 10 E  
35.89 an ash 36 ins. dia  
57.76 a Beech 16 " "  
60.00 a Water course runs South  
80.00 over level land timbered with Oak, Ash & Beech, rich soil, fine meadow land, set stake at the corner of Sec. No. 12 & 13. 11 & 14 a Beech 12 ins. dia. 40 fms. dis. bears S 60 W & another Beech 13 " " 35 " "  
" N 50 E. Marked & numbered to the plan

West Between Sec. No. 11 & 14. S. (No. 9. R. (No. 2. W.

3.57 a Beech 22 ins. dia.  
6.19 a Water course 4 fms. wide, runs S 5 E  
21.82 a Beech 18 ins. dia  
41.78 a White Oak 26 ins. dia  
66.80 a stream 4 fms. wide, runs S 15 W  
72.00 a small stream 3 fms. wide, runs S 50 E  
77.62 over level flat land timbered with Oak, Ash, Beech & some Sugar tree, fine land for meadow, or other kinds of cultivation. Intersected the line run from the corner of Sec. (No. 22. 23. 26 & 27 & fell 94 fms. S. of the end of that line set stake at the intersection at the corner of Sec. No. 14 & 15. 10 & 11 S. (No. 9. R. (No. 2 a Beech 15 ins. dia. 35 fms. dis. bears S. W. & another Beech 24 " " 20 " " " N 50 E —  
Marked & numbered to the plan

North Between Sec. No. 10 & 11. S. (No. 9. R. (No. 2. W.

4.00 a small stream 2 fms. wide, runs S 65 E  
6.90 a White Oak 4 4 ins. dia.

S. 9. R. 2. W. 1<sup>st</sup> Mer.

- 35.00 a Water course 4 lks. wide, runs West  
 39.20 a White Oak 18 ins. dia  
 50.85 a Buck 16 " "  
 64.50 a Small Water course, runs N 50 E  
 78.56 a Hickory 18 ins. dia  
 80.00 over level land timbered with Oak, Hickory &  
 Sugar tree & Buck, good land for cultivation, rich  
 soil - Set stake at the corner of sec. No. 10. 11.  
 2 & 3 Town No. 9. R. No. 2. W. of the Meridian  
 a Buck 20 ins. dia. 15 lks. dis. bears N 88 E & another  
 Buck 22 " " 30. " " " S 65 W.  
 Marked & numbered to the plan

## North Between sec. No. 2 &amp; 3 N. 9. R. 2. W.

- 2.26 a Buck 20 ins. dia  
 21.4 a White Oak 24 ins. dia  
 30.00 over level land timbered with Oak, Hickory Buck &  
 Sugar tree, rich soil begin to descend  
 43.00 a Stream 6 lks. wide runs N 20 E, rapid & strong  
 63.10 a Spring branch, runs N 78 E  
 68.50 another Spring branch runs N 39 E  
 75.00 over succeeding ridges of small hills, thinly  
 timbered with Oak, Ash & Sugar tree, much under  
 growth & brush, rich soil.  
 80.00 over a small bottom - Set stake.

## West Between sec. No. 11 &amp; 15. N. 9. R. 2. W

- 6.74 a White Oak 18 ins. dia  
 36.60 a Buck 16 ins. dia.  
 52.00 over rich level land timbered with Oak, Ash, Sugar  
 tree & Beech, begin to descend a hill  
 58.50 descended a steep hill or pitch to a Water course  
 runs S 20 W  
 60.80 ascended steep hill & begin immediately to descend  
 steep hill  
 70.15 a White Oak 14 ins. dia.



- 75.00 a Water course 10 lbs. wide; runs N 10° W, came down steep hill, much covered with brush & Pines  
80.00 over rich bottom. Set stake at the corner of Sect. (No. 9, 10, 15 & 16 Town (No. 9. R. (No. 2. West. a Sugar tree 12 ins. dia, bears N 63° W 27 lbs. dis. & a Hickory tree or sapling 6 ins. dia. bears S 53° E 32 lbs. dis.  
Marked & numbered to the plan

- West Between Sect. No. 9 & 16, J. I. R. D. W.  
10.00 over rich bottom. White Water River 3 chains to the North  
14.00 over rich bottom came to the bank of White Water 2 chains wide  
17.50 Crossed White water; appears to be a navigable stream  
18.50 Rose the bank of the River, the river runs S 45° W  
43.30 a Blue Ash 12 ins. dia. came over level land, covered with brush & Pines, rich soil  
58.4 a Blue Ash 16 ins. dia  
65.50 over rich bottom timbered with Oak. Ash. Walnut &c. came to a stream 12 lbs. wide, runs South  
72.00 descended to a Water course, runs S 40° E 10 lbs. wide, came over rich land timbered with Oak. Ash, Sugar &c.  
80.00 over uneven stony land, set stake at the corner of Sect. (No. 8 & 9, 16 & 17 T. No. 9. R. (No. 2. W. a Beech 12 ins. dia. 34 lbs. dis. bears N 37° W. & a White Ash 13 " " bears S 52° W 25 lbs. dis.

- West Between Sect. (No. 20 & 29) J. I. R. D. W.  
6.50 came down steep hill to White water River somewhat rapid.  
8.80 crossed the River  
30.90 a Hackberry 13 ins. dia. came over rich bottom thinly timbered, with Hackberry, Sugar tree, Ash &c.  
40.00 over rich bottom timbered with Ash. Sugar tree &c.  
42.00 Rose steep bank or hill  
57.00 over rich land.



S. I. R. I. W. 1<sup>st</sup> Nov.

- 52.00 descended to rich bottom  
 56.50 over rich bottom to the West fork of White water  
 60.00 Crossed main or West fork of White water, beautiful stream for navigation. The stream here mentioned I find to be the North fork of White water.  
 60.25 a fycamore 12 ins. dia  
 66.00 over a fycamore bottom  
 67.00 Rose a small bank  
 80.00 over rich bottom thinly timbered with Oak, Walnut, ash. Sugar tree &c. much brush & briars  
 set stake at the corner of Sec. (No. 19.20.29 & 30  
 N. (No. 9. R. No. 2. W. a Black Walnut 18 ins. dia  
 bears N 73 W 25 lbs. dia. & a Sugar tree 8 ins. dia.  
 bears S 72 E 10 lbs. dia - Marked and numbered  
 to the plan.

## West Between Sec. (No. 19 &amp; 30

- 9.70 an Elm 24 ins. dia.  
 21.69 a Hackberry 16 ins. dia  
 31.00 over rich fertile bottom well timbered with Oak. ash. Sugar tree &c. begin to ascend gradually  
 39.52 came to a Water course 4 lbs. wide runs N 80 W  
 came over rich land, continue to ascend gradually  
 44.00 commences steep  
 52.00 Rose steep hill, rich soil timbered with Oak. ash. Sugar tree &c.  
 54.00 Begin to descend the hill  
 65.50 descended very steep hill poor land covered with Brush pines & scrubby timber came to the West fork of White Water 350 lbs. wide, at this place runs N. W. comes from S 59 W  
 80.00 over fycamore bottom set stake 20 lbs. from the edge of the water / September 28<sup>th</sup> 1800

## North Between Sec. (No. 20 &amp; 21

- 4.95 a Beech 18 ins. dia.  
 16.25 descended a hill to a Water course 8 lbs. wide runs  
 S 40° W  
 17.24 Begin to ascend steep hill  
 42.60 an Elm 16 ins. dia.  
 52.00 over level land covered with brush & briars, rich soil  
 54.00 descended to the North fork of White Water.  
 57.00 crossed the river obliquely being 2 hrs. wide marked  
 & numbered trees on the bank  
 63.00 over Sycamore bottom came to White water river again  
 66.12 crossed the river  
 80.00 over rich bottom land, thinly timbered with Ash,  
 Walnut, Sugar tree &c. set stake at the corner of  
 Sec. (No. 20. 21. 16 & 17. T. No. 9. R. No. 2) a Blue  
 Ash 18 ins. dia. bears \$88 34 lbs. dia. a Buckeye bears  
 \$38 7 lbs. dia. 5 ins. dia. Marked and numbered  
 to the plan

- North Between Sec. (No. 16 & 17.  
 3.26 a Hickory 34 ins. dia.  
 25.00 came again to N. fork of White water gentle current,  
 36.50 in the River  
 38.00 crossed the point of a Sycamore bottom  
 41.50 crossed White Water again comes from N 80° W marked  
 & numbered trees on the bank  
 43.00 over Sycamore bottom to the foot of a hill  
 61.30 Rose a hill, thin soil, a Blue Ash 14 ins. dia.  
 64.75 descended steep pitch of a hill came to a Water course  
 8 lbs. wide runs East begin immediately to ascend  
 steep hill  
 67.68 Rose the hill a Blue Ash 12 ins. dia. in the line  
 75.20 over level land  
 78.30 descended hill, intersected the line run from the corner  
 of Sec. (No. 10. 11. 14 & 15 T. No. 9. R. No. 2. & fell  
 75 lbs. to the West of the end of that line, set  
 stake at the intersection at the corner of Sec. (No.

G. 9. R. 2. W. 1<sup>st</sup> Mer

8. 9. 16 & 17 T. No. 9. R. No. 2 W. a Buck 20 ins.  
dia. bears S 41° W 80 lbs. dia. & a Black Oak 18 ins.  
dia. bears S 51° E 27 lbs. dia. Measured & numbered  
to the plan September 29<sup>th</sup> 1800

West Between Sec. No. 8 & 17  
19.00 Rose steep hill  
29.73 a White Oak 50 ins. dia  
57.85 a Gum tree 16 " "  
62.50 a Water course 6 lbs. wide runs South  
80.00 over level land timbered with Oak, Buck, Ash &c  
good land for the production of small grain. Set  
stake at the corner of Sec. No. 7. 8. 17 & 18. T. No. 9.  
R. No. 2. W. a Buck 16 ins. dia. bears N 10° E 48  
lbs. dia. & another Buck 20 " " " S 3° E 15  
lbs. dia. - Measured & numbered to the plan

West Between Sec. No. 7 & 18. G. 9. R. 2 W.  
15.00 over level land, timber Oak, Buck &c  
19.15 Down steep hill to a Water course 10 lbs. wide  
runs S 10° E rapid and stony  
20.00 Begin to ascend steep hill  
24.00 ascended steep hill  
29.90 a White Oak 36 ins. dia  
37.00 over level land timbered with Oak, Buck & thin  
soil, begin to descend steep hill  
39.92 a Water course runs South 6 lbs. wide  
42.00 Rose a hill, came over thin land.  
54.00 Down rough points of hills to a water course 8  
lbs. wide, runs S 20° E  
67.79 a Buck 15 ins. dia  
76.28 came to the Indian boundary line over hilly  
rough land, thin soil, set stake on the boundary  
line a Sugar tree 12 ins. dia. bears N 26° W 10 lbs.  
dia. & a Gum 18 ins. dia. bears S 75° E 25 lbs. dia.  
Measured & numbered to the plan - Fell South

9.40 Mts. of the 54 mile post on the boundary line  
September 30<sup>th</sup> 1880

North Between Sec. (No. 8 & 9.

- 4.25 pass over a small hill to a Water course 10 Mts. wide, runs  $\overline{N}50^{\circ}E$  - begin to rise steep hill
- 6.59 a Buck 16 ins. dia
- 15.80 ascended steep hill
- 23.6 a Buck 16 ins. dia
- 38.5 a Gum 18 " "
- 53.00 a Water course 4 Mts. wide, runs  $\overline{N}72^{\circ}E$
- 56.30 a Black Oak 18 ins. dia.
- 67.00 over level land, rich soil, much brush, timbered with Oak, Ash, Buck &c.
- 68.00 Begin to descend a hill
- 72.00 descended steep hill, came to a Water course 12 Mts. wide, runs  $\overline{N}50^{\circ}E$ , begin to ascend another steep hill
- 74.00 Descended steep hill
- 80.00 over level land timbered with Oak, Ash, Buck, Sugar tree &c. Good land for the production of small grain, set stake at the corner of Sec. (No. 4 & 5. 8 & 9. S. (No. 4. R. (No. 2. N. of the Mer, a White Oak 30 ins. dia. bears  $\overline{S}43^{\circ}E$  11 Mts. dia. & a Buck 18 ins. dia. bears  $\overline{N}36^{\circ}W$  36 Mts. dia. Marked & numbered to the plan

North Between Sec. (No. 4 & 5

- 9.16 a Hickory 20 ins. dia.
- 33.30 over level land, much brush, good soil for small grain, begin to descend the hill
- 42.00 Begin to ascend another hill
- 54.50 descended steep hill, to a Water course 8 Mts. wide runs  $\overline{N}45^{\circ}E$  begin to ascend steep hill
- 66.50 an Oak 10 ins. dia
- 82.00 over poor points of hill intersected the line run. West from the corner of Sec. (No. 2 & 3. S. I. R. 2. N.

## S. 9. R. 2. W. 1. Mer.

Set stake at the corner of Sec. (No. 5 & 4. T. (No. 9. R. No. 2 W. a White Oak 30 ins. dia. bears N 75 W 55 lbs. dis. & a Sugar tree 16 ins. dia. bears S 68 E 75 lbs. dis. And fell 250 lbs. to the right of the end of a line, run West from the corner of Sec. (No. 2 & 3. Marked & numbered to the plan

The Meanders of White Water River in Township No. 9 Range (No. 2 West of Mer. Commenced at the North Boundary of Town No. 9. Range (No. 2 W. of the Mer. to meander the North fork of said River on the W. side

S 10 E	2.00	
S 47 E	10.00	
S 7 W	12.00	
S 10 E	4.50.	3.50 lbs. came to the mouth of a Water course
S 3 W	5.00	{ 5 lbs. wide runs West
S 10 E	14.00.	8.50 lbs. The mouth of a small stream
S 2 E	7.00	{ 3 lbs. wide bears S 80 W
		2 chs. hills come to the river on the West; bottoms on both sides upon the above mentioned course, continue on the east side
		5 chains came to the mouth of a Water course 6 lbs. wide, runs N 50 W
S 99 E	13.00	12 chs. mouth of Water course 8 lbs. wide bears S 50 W. hills on
S 60 E	3.50	$\frac{3}{4}$ this side bottom opposite
S 28 E	6.50	The River 2.50 lbs. wide on the above course, hills continue on this side, bottom on the left
S 20 E	3.00	steep hills on this side
S 47 E	15.00	The River 2 chs. wide, very gentle, came to the upper point of an Island
S 42 E	2.50	
S 36 E	10.00	
S 47 E	15.00	5 chs. came to the lower point of Island bottom commences on the West side of the River continues on the East



# S. 9. R. 2. Mt. 1<sup>st</sup> Mo. W.

25

\$80 E	8.50	The river 2 hrs. wide gentle current
\$38 E	22.00	Bottom on this side the river, hills on the left
\$20 E	10.00	
\$70 E	3.50	
\$90 E	12.50	
\$15 W	7.50	The river 1.50 hrs. wide bottom on the East & continues on the West
\$80 W	6.50	Came to the upper point of an Island, river somewhat rapid
\$60 W	5.00	
\$67 W	5.00	
\$35 W	1.50	
\$65 W	5.00	Came to the lower point of an Island, last mentioned, level upland on the West hills on the East side
\$49 W	2.50	
\$65 W	2.50	
\$30 W	2.50	— 1.50 hrs. came to the line run West from the corner of Sec. (No. 10 & 11, 14 & 15 Town (No. 9. Range No. 2 West of the Moor.
\$45 W	3.00	
\$30 W	6.00	The river rapid 1.80 hrs. wide hills on the East side
\$34 W	6.50	
\$53 W	9.50	
\$70 W	11.50	Bottom continues on the West. Hills on the East side of the river
\$86 W	5.00	The River rapid on this course
\$61 W	5.50	
\$68 W	3.50	
\$73 W	6.50	
\$53 W	11.50	Hills come near the River on the West, level land on the East side
\$7 W	2.50	
West	2.50 — 2.25	on this course came to the line run North from the corner of Sec. (No. 28 & 29, 20 & 21



S. 9. R. 2. W. 1<sup>st</sup> Mo.

- S 58 W 3.50 Came to the upper point of an Island, steep hills on the West side of the river, level land on the East side  
 N 25 W 2.50  
 S 10 W 5.00 4 chas on this course a Water course 6 chs. wide bears N 50 W, steep hills on this side, level land opposite  
 South 8.00 - 7.50 Mrs. came to the lower point of an Island  
 S 13 W 8.00  
 S 2 E 17.50 - 12.70 chs. a Water course 10 chs. wide, bears N 70 W  
 S 20 E 11.00 Bottoms on both sides of the river  
 October 2<sup>nd</sup> 1800  
 S 45 E 6.35  
 S 13 W 4.00 - 3.50 Mrs. came to a line run North from the corner of Sect. No 20. 21. 28 & 29  
 S 59 W 2.50 came to the upper point of an Island, timbered with Sycamore  
 S 76 W 2.50  
 S 37 W 12.00 came to the lower point of an Island the river rapid  
 S 80 W 3.00 hill comes to the river on the North side bottom on the South side, River 2 chs. wide rapid current.  
 S 39 W 7.00  
 S 5 W 17.50  
 S 27 E 2.00  
 S 2 E 3.50  
 S 58 E 8.00 .5 chs. came to the upper point of an Island  
 S 50 E 9.00 came to the lower point of an Island  
 S 23 W 11.50 - 9.50 chs. came to a line run West from the corner of Sect. No. 20. 21. 28 & 29. S. No. 9. R. No. 2. West. on this course the river is rapid  
 S 10 W 22.50 steep hill on the East side of the River, bottom on the West  
 S 27 W 11.00 River rapid but not so much as to prevent navigation 2.10 chs. wide hills on the E. side

# G. I. R. I. W. 1<sup>st</sup> Nov.

27

	level land on the West.	
\$40W	21.50	current very swift, stony bottom
\$69W	6.00	
\$53W	11.00	
\$75W	3.00	Came to the West fork of White Water 250 fms. wide, from the junction of the two rivers to the meanders of the West fork of White Water river, northwardly up the same
North	7.50	
\$24W	23.00	high land on both sides the River
\$36E	3.00	
\$53E	3.00	rapid, river 1 chain & 80 fms. wide
\$34E	4.00	Steep bluff of a bank on the East side of the river bottom commences on the West
\$73E	8.00	7 chains came to the lower point of an Island main channel on the E. side, the River 3 chains wide
\$10W	8.50	
\$25W	6.50	Came to the upper point of the island
\$12W	8.50	2 fms. came to a line run West from the corner of Sec. No. 20. 21. 28 & 29. Township No. 9 Range No. 2. West of the Mer
\$40W	19.00	
North	12.00	
\$45W	10.00	
\$75W	1.00	
\$60W	15.00	Bottom on the S. side, Hills on the North
\$40W	2.00	
\$75W	17.00	Bottom commenced on the East side & continued on the West side
\$85W	10.00	
\$70W	6.00	
	Commenced at the corner of Sec. No. 24 & 25 T. No. 10. R. No. 3 & at the corner of Sec. No. 19 & 30. T. No. 9 R. No. 2 W. — thence down the river on the East or north side of the same	

# S. G. R. D. W. 1<sup>st</sup> Mer.

S 87 E	11.00	Mills opposite this
N 10 E	5.00	
N 15 W	2.50	
N 30 W	3.00	
N 19 W	5.00	
N 14 W	2.00	
N 2 E	12.50	
N 29 W	6.50	
N 21 W	7.00 - 3.25	hrs. came to the Township line between Townships No. R. No. 3 & Township No. 40 Range No. 2.
N 2 E	3.50	Bottom commences on the E. side of the river
N 20 E	5.00 - 3.38	hrs. came to the Township line again, hills on the West, bottoms on the East side of the River
N 59 E	18.50	10 hrs. on this course, the river is 3 chains wide, hills on the North side, bottom land on the South, rapid current here
N 88 E	15.00 - 11.50	hrs. came to a water course 10 hrs. wide bears N 12 E, 15 hrs. came to a place to which I fetched the meanders up the river
October 30 <sup>th</sup> 1880.		
Commenced at the junction of the North & West forks, thence down the river at this place - The River is rapid.		
S 20 E	12.00 - 2.50	hrs. crossed the mouth of the North fork of N. Water. 12 hrs. came to the upper point of an island
S 32 E	4.00	
S 45 E	6.50	
S 20 E	3.50	
S 45 E	4.50	
S 30 E	5.00	came to the lower point of island above mentioned
S 10 W	5.00	came to the upper point of an Island
S 10 E	10.00	came to the lower point of island, river

	rapid 4.50 lbs. wide
\$10 W	8.50
\$10 E	5.00
\$15 W	16.00 The river 3.80 lbs. wide
South	3.50 Bottom continues on both sides of the river
\$30 E	2.00
\$5 E	13.00
\$74 E	3.50 Came to the upper point of a small island
\$88 E	15.00 Came to the lower point of an Island
\$88 E	15.70 Came to a line run North from the corner of Sect. (No. 32 & 33. T. No. 9. R. No. 2. W. from this place to the foot of White Water the meanders are taken on the N. side of the River. The following on the South side
\$73 --	12.00
\$55 --	19.30
\$55 --	2.50
\$52 --	1.10 Came to the Township line

Surveyed by  
William Ludlow D. Sur.

2 mile blocks in Subdivisions of T. No. 9. R. No. 2. W.	
South	From the corner of Sect. (No. 5 & 6 on N. Boundary of T. No. 9. R. No. 2 W. commenced on a high eminence
37.50	a Water course 12 lbs. wide, N 50 E
40.00	let temp. 1/4 Sec. post
72.50	a stream 8 lbs. wide -- N 10 E
80.00	let temp. center post
	Continued Between Sect. (No. 7 & 8
7.00	a Water course -- N 30 W.
40.00	let temp. 1/4 Sec. post
79.00	a Water course 5 lbs. wide -- N 80 W
81.40	Came to old line & fell 4.80 lbs. West from the

S. I. R. I. (W. 1<sup>st</sup> Mer)

old post corner to Sec. No. 7. 8. 17 & 18.

1<sup>st</sup> mile very broken with steep hills 3<sup>rd</sup> rate, last  
mile level 2<sup>nd</sup> rate. Oak, Poplar, Birch, Hickory &c.

North From the corner of Sec. No. 7. 8. 17 & 18 on true  
line between Sec. No. 7. 8 & 5. 6

Moved  $\frac{1}{4}$  sec. post on true line at intermediate  
distance

Moved temp. centre post on true line

Continued true line between Sec. No. 5 & 6

Moved  $\frac{1}{4}$  sec. post at intermediate dis. on true line  
Came to old post of N. Boundary of Town 9. R.  
corner to Sec. No. 5 & 6.

West Traveled to corner of Sec. No. 4. 5. 8 & 9. Then  
Between Sec. No. 5 & 8

40.00 Set temp.  $\frac{1}{4}$  sec. post

80.63 Came to N & S. line & fell 1.37 lbs. South of temp.  
centre post moved it to intersection corner to Sec.  
No. 5. 6. 7 & 8 from which an Iron wood 6 ins. dia.  
bears  $S 50^{\circ} W$  5 a 20. 5 ins. dia. bears  $N 69^{\circ} E$   
23 lbs. dia. Level land Birch, Oak, Poplar  
Continued between Sec. No. 6 & 7

10.00 a water course 10 lbs. —  $S 20^{\circ} E$

40.00 Set  $\frac{1}{4}$  sec. post from which a Hickory 20 ins. dia.  
bears  $S 50^{\circ} E$  28 lbs. dia. & a Birch 14 ins. dia. bears  
 $N 50^{\circ} W$  24 lbs. dia

62.50 Came to Boundary line, set stake from which  
an Elm 14 ins. dia. bears  $S 74^{\circ} W$  17 lbs. dia. & a Do.  
16 ins. dia. bears  $N 57^{\circ} E$  31 lbs. dia. This mile  
2<sup>nd</sup> rate. Oak, Ash, Birch, Sugar &c.

North Returned & traveled North between Sec. No. 5 & 6  
& moved  $\frac{1}{4}$  sec. post at intermediate distance  
from which an Ironwood 3 ins. dia. bears  $N 13^{\circ} W$   
9 lbs. dia. & a Honey Locust 5.. ..  $S 72^{\circ} E$



17 links distant.

South Traveled between Sec. No. 7 & 8 & moved to sec. post to intermediate distance from which a Gum 15 ins. dia. bears S 2° W 40 lbs. dis. & a Hackberry 6 ins. dia. bears North 9 lbs. dis.  
Traveled between Sec. No. 5 & 8 & moved to sec. post to intermediate distance from which a Hickory 17 ins. dia. bears S 13° E 11 lbs. dis. & a Beech 15 ins. dia. bears N 76° W 18 lbs. dis.

South Traveled to N. Boundary at corner of Sec. No. 3 & 4  
thence on Random south between Sec. No. 3. 4. 9 & 10  
40.00 Set temp.  $\frac{1}{4}$  sec. post  
80.00 Set temp. centre post - Level 1<sup>st</sup> rate land, Walnut, Ash, Sugar & much under brush  
Continued between Sec. No. 9 & 10  
30.00 a Spring in the River-bank  
32.00 North fork of White water 200 lbs.  
40.00 Set  $\frac{1}{4}$  sec. post  
71.70 Came to the River again  
80.60 Came to old line & fell 5.60 E from the old post corner to Sec. No. 9. 10. 15 & 16. This mile broken bottom, flooded in high water - timbered with Sycamore, some Hackberry &c.

North From corner of Sec. No. 9. 10. 15 & 16 on correct line between Sec. No. 9. 10. 3 & 4  
Moved to sec. post at intermediate distance  
Moved temp. centre post on true line  
Continued between Sec. No. 3 & 4  
Moved to sec. post on true line at intermediate distance to N. Boundary at cor. of Sec. 3 & 4

West Traveled West to corner of Sec. No. 2. 3. 10 & 11 thence on random between Sect No. 3. 10 & 4. 9

# *S. G. P. D. W. 1<sup>st</sup> Mer.*

40.00 Set the temp. to sec. post

81.38 Came to the N & S line, rough hilly land, much brush, timber thin, such as Oak Hickory Ash &c. 3<sup>rd</sup> rate land.

Continued between Sec. No. 4 & 9

23.00 To a water course 5 lbs. in, runs S to W

40.00 Set the temp.  $\frac{1}{4}$  sec. post, on E. side of W. water.

42.50 Crossed the River

79.04 Came to the old line & fell 88 lbs. N. of the old post cor. of sec. No. 4. 5. 8 & 9 - 1<sup>st</sup> mile bottom broken with small drains 2<sup>nd</sup> rate land. last is very hilly much brush. Oak. Hickory &c.

East From cor. of sec. No. 4. 5. 8 & 9 corrected line between Sec. No. 4 & 9. 3 & 10. S. No. 9. P. No. 2 W. moved  $\frac{1}{4}$  sec. post to average distance from which an Elm 16 ins. dia. bears N 23 E 50 lbs. dis & a Sh. 12 ins. dia. bears N 50 E 42 lbs. dis.

Came to the N & S line & fell 1.24 lbs. S. of temp centre post, moved it to centre corner to sec. No. 3. 4. 9 & 10 from which a Buckeye 11 ins. dia. bears S 65 W 24 lbs. dis. & a W. Walnut 3 ins. bears N 11 E 19 lbs.

South Between Sec. No. 9 & 10 & moved to sec. post to average dis. from which a Willow 10 ins. dia. bears N 52 W 55 lbs. dis. & a Do. 5 ins. dia. bears S 58 W 33 lbs. dis

North Traveled between Sec. No. 3 & 10 & moved  $\frac{1}{4}$  sec. post to average dis. from which an I. wood 4 ins. dia. bears South 6 lbs. dis. & a W. Thorn 5 ins. bears S 70 W 9 lbs. dis.

East Continued true line between Sec. No. 3 & 10 -

Moved  $\frac{1}{4}$  sec. post to average dis. from which a Beech 14 ins. dia. bears N 14 W 15 lbs. dis. & a W. Ash 13 ins. dia. bears S 43 E 36 lbs. dis.

Came to old post corner of sec. No. 2. 3. 10 & 11

South From corner of Sec. No. 1 & 2 on N. Boundary thence  
on Random between Sec. No. 1. 2. 11 & 12  
10.00 a Water course 6 lks. wide, runs N 15° W  
40.00 Set the temp.  $\frac{1}{4}$  sec. post  
80.00 Set the temp centre post. 1<sup>st</sup>  $\frac{1}{2}$  mile hill, last  
1<sup>st</sup> level 2<sup>nd</sup> rate Oak, Ash, Buck Poplar &c.  
Continued between Sec. No. 11 & 12  
40.00 Set the temp.  $\frac{1}{4}$  sec. post  
86.50 Came to old line & fell 2.00 W. from the old post  
cor. of Sec. No. 11. 12. 13 & 14 2<sup>nd</sup> rate land, timber  
Buck, Poplar, Oak, &c.

North from cor. of Sec. No. 11. 12. 13 & 14 correct line  
between Sec. No. 11 & 12 & 1 & 2  
at average dis. set temp.  $\frac{1}{4}$  sec. post.  
Moved temp. centre post on true line  
Continued between Sec. No. 1 & 2  
Set temp.  $\frac{1}{2}$  sec. post at average distance  
Came to old post cor. to Sec. No. 1 & 2 on North  
Boundary of the Township

West Traveled to cor. of Sec. No. 1 & 2 on E. Boundary  
then commenced random line West between  
Sec. No. 1. 2. 11 & 12  
40.00 Set the temp.  $\frac{1}{4}$  sec. post  
79.49 Came to the N & S line - Level flat land, 2<sup>nd</sup> rate  
Buck, Elm, some Poplar &c.  
Continued between Sec. No. 2 & 11  
13.50 To a Water course 6 lks. wide, runs N 15° W  
71.05 Came to old line & fell 1.38 lks. N. from the old post  
cor. of Sec. No. 2. 3. 10 & 11 - 3<sup>rd</sup> rate land, broken with  
small ridges - Oak, Buck &c.

East From the corner of Sec. No. 2. 3. 10 & 11 on correct line  
between Sec. No. 2. 11 & 1. 12  
Moved  $\frac{1}{4}$  sec. post on true line at average distance

S. 9. R. 2. W. 1<sup>st</sup> Mer.

from which a Buck 14 ins. dia. bears S 56° E 7 lks. dis. & a Hickory 22 ins. dia. bears N 19° W 27 lks. dis. Came to N & S line & fell 53 lks. South of temp. centre post, moved it to centre corner of Sect. No. 1. 2. 11 & 12 from which a Buck 12 ins. dia. bears S 42° E 11 lks. dis. & a Do. 12 " " " N 39° W 30 " "

North Traveled between Sect. No. 1 & 2 & moved  $\frac{1}{4}$  sec. post to average distance from which a Buck 16 ins. dia. bears N 12° W 13 lks. dis. & a Sugar 16 " " " S 72° E 47 lks. dis.

South Returned & traveled between Sect. No. 11 & 12 and moved  $\frac{1}{4}$  sec. post to average distance from which a Buck 8 ins. dia. bears N 15° W 27 lks. dis. & a Do. 18 ins. dia. bears S 32° E 29 lks. dis.

East Continued on true line between Sect. No. 1 & 12 & set  $\frac{1}{4}$  sec. post at average distance from which a Buck 16 ins. dia. bears S 72° W 17 lks. dis. & a Do. 14 " " " N 84° E 27 " " Came to the corner of Sect. No. 1 and 12 on East Boundary.

South Traveled to corner of Sect. No. 11 & 12 thence between Sect. No. 13. 14 & 23. 24

40.00 Set temp.  $\frac{1}{4}$  sec. post

80.00 Set temp. centre post 1<sup>st</sup>  $\frac{1}{2}$  mile level 2<sup>nd</sup> level sand - Oak, Buck, Poplar - Last  $\frac{1}{2}$  much brush, Gilly Timber same

Continued random between Sect. No. 23 & 24

25.00 a Water course 10 lks. wide, runs S 15° W

40.00 Set temp.  $\frac{1}{4}$  sec. post

49.00 a Water course 8 lks. wide, runs West

66.00 a " " " " " " S 60° W

# S. I. R. D. W. 1<sup>st</sup> Mer.

35

76.50 Came to old line & fell 1.50 lbs. Most of old post corner to Sect. (No. 23. 24. 25 & 26. - Very rough, hilly 3<sup>rd</sup> rate land, Oak, Hickory &c, much brush

North From corner of Sect. (No. 23. 24. 25 & 26 thence on correct line between Sect. (No. 23. 24 & 13. 14 Moved  $\frac{1}{4}$  sec. post on true line at average dis. Moved temp. centre post on true line Continued between Sect. (No. 13 & 14 Set  $\frac{1}{4}$  Sec. post on true line at average dis. Came to old post corner of Sect. (No. 11. 12. 13 & 14

West Traveled to corner of Sect. (No. 13 & 24 on East boundary thence on random between Sect. (No. 13. 24 & 14. 23

40.00 Set temp. in Sec. post

45.50 a Water course 5 lbs. wide, runs S 18° W

53.00 a " " 10 " " " S 10° W

80.02 Came to N & S. line - Level 3<sup>rd</sup> rate land, thin soil, Beech, Hickory, Oak, &c) Continued between Sect. (No. 14 & 23

18.00 a Water course 9 lbs. wide, runs South

40.00 Set temp.  $\frac{1}{4}$  Sec. post

73.00 a Water course 12 lbs. wide, runs South

76.42 Came to old post corner of Sect. (No. 14. 15. 22 & 23. Small ridges of easy ascent thinly timbered. much brush. Oak, Beech Hickory &c. 3<sup>rd</sup> rate Land —

East From corner of Sect. (No. 14. 15. 22 & 23 thence on true line between Sect. (No. 14 & 23. 13 & 24 Moved  $\frac{1}{4}$  sec. post on true line at average dis. from which a Beech 12 ins. dia. bears N 32° E. 6 lbs. dis. & a Spruce 13 ins. dia. bears S 18° W 26 lbs. dis. Came to N & S. line & fell 180 lbs. N. from temp.



G. 9. R. 2. W. 1. <sup>th</sup> Mer.

centre post, moved it to centre corner of Sec. No. 13. 14. 23 & 24 from which a Beech 14 ins. dia. bears S 77° W 29 lbs. dis. & a W. ash 10 ins. dia. bears N 68° E 14 lbs. dis.

North. Traveled between Sec. No. 13 & 14 & moved  $\frac{1}{4}$  Sec. post to average distance from which a Beech 20 ins. dia. bears N 6° E 28 lbs. dis. & a Beech 10 ins. dia. bears N 31° E 17 lbs. dis.

South. Returned & traveled between Sec. No. 23 & 24 & moved  $\frac{1}{4}$  Sec. post to average distance from which an ash 15 ins. dia. bears S 77° W 38 lbs. dis. & an Elm 15 " " " N 11° E 24 lbs. dis.

East. Continued between Sec. No. 13 & 24 moved  $\frac{1}{4}$  Sec. post to average distance - from which a Beech 15 ins. dia. bears S 73° W 14 lbs. dis. & a Gum 9 ins. dia. bears N 35° E 27 lbs. dis.

West. From corner of Sec. No. 14. 15. 22 & 23 on random between Sec. No. 15 & 22 & 16 & 21

40.00 Set the temp.  $\frac{1}{4}$  Sec. post

80.00 Set the temp. centre, hilly land, much brush, thinly timbered. 3<sup>d</sup> rate. Oak. Ash. Hickory &c.

Continued Random between Sec. No. 16 & 21

10.00 Set temp.  $\frac{1}{4}$  Sec. post

79.67 came to old line & fell 49 lbs. S. of old stake corner to Sec. No. 16. 17. 20 & 21. Hilly 3<sup>d</sup> rate land

East. From corner of Sec. No. 16. 17. 20 & 21 on correct line between Sec. No. 16 & 21. 15 & 22

Moved  $\frac{1}{4}$  Sec. post on true line to average distance

Moved temp. centre post on true line

Continue between Sec. No. 15 & 22

Moved  $\frac{1}{4}$  Sec. post on true line to average dis.

Came to old post corner to Sec. No. 14. 15. 22 & 23

South Traveled to corner of Sec. No. 9. 10. 15 & 16 thence  
on Random between Sec. No. 15. 16. 21 & 22  
40.00 Set temp.  $\frac{1}{4}$  Sec. post  
75.00 a Water course 6 lrs. - West  
79.93 Came to E & W. line  
Continued between Sec. No. 21 & 22  
16.00 a Water course 6 lrs. wide - West  
40.00 Set temp.  $\frac{1}{4}$  Sec. post  
78.60 Came to old line & fell 34 lrs. East from old  
stake corner to Sec. No. 21. 22. 27 & 28 3<sup>rd</sup> Gate  
land, broken & Hilly

North Cross corner of Sec. No. 21. 22. 27 & 28 on true  
line between Sec. No. 21 & 22. 15 & 16  
Moved  $\frac{1}{4}$  Sec. post on true line to average dis.  
from which a Buck 15 ins. dia. bears N  $34^{\circ}$  W  
18 lrs. dis. & a D. 10 ins. dia. bears S  $50^{\circ}$  E 9 lrs. dis.  
Came to E & W. line & fell 58 lrs. East from temp.  
centre post. moved it to centre corner of Sec. No.  
15. 16. 21 & 22. from which a Sugar 4 ins. dia. bears  
N  $30^{\circ}$  W 15 lrs. dis. & a B. Walnut 20 " " "  
S  $22^{\circ}$  W 45 lrs. dis

East Traveled between Sec. No. 15 & 22 and  
moved  $\frac{1}{4}$  Sec. post to average dis. from which  
a Blue Ash 6 ins. dia. bears N  $28^{\circ}$  E 25 lrs. dis.  
& a Buck 18 ins. dia. bears S  $10^{\circ}$  W 40 lrs. dis.

West Traveled between Sec. No. 16 & 21 and moved  
 $\frac{1}{4}$  Sec. post to average dis. from which a W. Ash  
13 ins. dia. bears S  $31^{\circ}$  E 14 lrs. dis. & an Ironwood  
9 " " " S  $55^{\circ}$  W 11 " "

North Continued true line between Sec. No. 15 & 16

S. I. R. I. W. 1<sup>st</sup> Nov.

Moved  $\frac{1}{4}$  sec. post on true line to average dis.  
from which an Elm 6 ins. dia. bears S $38^{\circ}$  W  
10 lbs. dis. & a Dec. 12 ins. dia. bears S $35^{\circ}$  E 9 lbs. dis.  
Came to old post corner of Sec. 9. 10. 15 & 16

South Traveled to corner of Sec. No. 7. 8. 17 & 18 thence  
on Random between Sec. No. 17. 18. 19 & 20

40.00 Set temp.  $\frac{1}{4}$  sec. post

77.00 a Water course 15 lbs. — S $40^{\circ}$  E

80.00 Set temp. centre post, 1<sup>st</sup> Millly 3<sup>rd</sup> rate land  
Oak. Hickory &c.

Continued between Sec. No. 19 & 20

40.00 Set temp.  $\frac{1}{4}$  sec. post in middle of W. water  
river 2.50 lbs. wide

78.00 Came to old line & fell 63 lbs. W. from corner  
of Sec. No. 19. 20. 29 & 30 — 1<sup>st</sup>  $\frac{1}{2}$  mile 3<sup>rd</sup> rate  
Last  $\frac{1}{2}$  level rich 2<sup>nd</sup> rate land.

North Connected line between Sec. No. 19 & 20. 17 & 18

Set temp.  $\frac{1}{4}$  sec. post at average distance

Moved temp. centre post on true line

Continued between Sec. No. 17 & 18

Moved  $\frac{1}{4}$  sec. post on true line at average dis.

Came to corner of Sec. No. 7. 8. 17 & 18

West Traveled to corner of Sec. No. 16. 17. 20 & 21  
thence on Random line between Sec. No. 17. 20.  
18. & 19

6.00 Came to White Water River

40.00 Set temp.  $\frac{1}{4}$  sec. post

80.13 Came to N & S. line — This mile very hilly  
3<sup>rd</sup> rate. much brush Oak. Hickory, Ash &c.

Continued between Sec. No. 18 & 19

1.00 a Water course 10 lbs. wide — S $40^{\circ}$  E

40.00 Set temp.  $\frac{1}{4}$  sec. post

76.25 Came to old line & fell 150 lbs. N. from old

post, corner to Sect. (No. 18 & 19 on W. Boundary  
Large hills much brush, 3<sup>rd</sup> rate land

East From corner of Sect. (No. 18 & 19 on W. Boundary  
on correct line between Sect. (No. 18. 19 & 17. 20  
moved  $\frac{1}{4}$  sec. post on true line to average distance  
from which a Sugar 10 ins. dia. bears N 66° E 11 lbs  
& a W. Ash 17 ins. dia. bears S 10° E 47 lbs. dis  
came to N & S line at which place stands a  
Sycamore 24 ins. dia. (mk<sup>d</sup> on 4 sides for a  
corner to Sect. (No. 17. 18. 19 & 20 - fell 2.00 lbs.  
N. from temp. centre post

North Traveled between Sect. (No. 17 & 18 & moved  $\frac{1}{4}$  sec.  
post to average distance from which a Sugar 10  
ins. dia. bears S 30° E 7 lbs. dis. & a Buck 10 ins. dia  
bears West 8 lbs. dis.

South traveled between Sect. (No. 19 & 20 and moved  
 $\frac{1}{4}$  sec. post to average distance from which a  
Sycamore 20 ins. dia. bears N 20° W 24 lbs. dis. &  
an Elm 4 .. .. N 57° W 18 .. ..

East Continue true line between Sect. (No. 17 & 20  
set  $\frac{1}{4}$  sec. post on true line at average distance  
from which a Buck 10 ins. dia. bears N 39° E  
9 lbs. dis. & a W. Ash 20 ins. dia. bears S 11° E 14  
came to Sd post corner to Sect. (No. 16. 17. 20 & 21

South Traveled to corner of Sect. (No. 19. 20. 29 & 30 thence  
on random between Sect. (No. 31. 32 & 29. 30  
20.00 a Water course 10 lbs. wide - N 30° E  
40.00 set temp.  $\frac{1}{4}$  sec. post  
50.00 set temp. centre post - 3<sup>rd</sup> rate land, Oak, Hickory  
Sugar etc. much brush very hilly -  
Continued random between Sect. (No. 31 & 32

# G. I. R. D. W. 1<sup>st</sup> Mer.

40.00 Set temp. to sec. post  
 44.00 " Water course 40 lbs. wide, runs East  
 60.00 " " " 60 " " " N 18 E  
 80.20 Came to S. Boundary & fell 3.00 lbs. W.  
 from old post corner to sec. (No. 31 & 32  
 very hilly, much brush & briars, Oak, Hickory  
 Sugar &c. 3<sup>rd</sup> rate land

North From last mentioned corner on correct line between  
 Sec. No. 31, 32 & 29, 30  
 Set  $\frac{1}{4}$  sec. post on true line at average dis.  
 Set temp. centre post on true line  
 Continued between Sec. (No. 29 & 30  
 Moved  $\frac{1}{4}$  sec. post on true line at average dis.  
 Came to corner of Sec. (No. 19, 20, 29 & 30.

West Traveled to corner of Sec. (No. 28, 29, 32 & 33  
 thence on Random between Sec. (No. 29, 32 &  
 30, 31

40.00 Set temp. to sec. post  
 42.00 over a small channel to a small island  
 46.00 crossed island  
 48.00 crossed main part of N. water river  
 79.91 Came to N. & S. line  
 This mile over rich land, much covered with  
 brush & briars, Oak, Hickory, Ash, Sugar &c. 2<sup>nd</sup>  
 rate land.

Continued random between Sec. (No. 30 & 31  
 40.10 Set temp. to sec. post  
 60.00 " Water course 5 lbs. wide — N 50 W  
 76.80 Came to N. Boundary & fell 1.10 North from  
 Old post corner to Sec. (No. 30 & 31

East From corner of Sec. (No. 30 & 31 on N. boundary  
 thence on correct line between sections No. 30,  
 31 & 29, 32



Moved  $\frac{1}{4}$  sec. post on true line at average distance from which a Buck 18 ins. dia. bears  $S 44^{\circ} W$  27 lbs. dis. & a Do. 10 ins. dia. bears  $N 28^{\circ} W$  8 lbs. dis. Came to  $N 4^{\circ} S$  line & fell 75 lbs. Suth from temp. post - moved it to centre corner of Sec. A. (No. 29. 30. 31 & 32 from which a Sugar 12 ins. dia. bears  $N 33^{\circ} E$  15 lbs. dis. & a Do. " " "  $S 55^{\circ} W$  —

South Traveled between Sec. (No. 31 & 32 & moved  $\frac{1}{4}$  sec. post to average distance from which an Elm 12 ins. dia. bears  $N 16^{\circ} E$  12 lbs. dis. & an Elm 7 ins. dia. bears  $S 13^{\circ} E$  22 lbs. dis

North Traveled between Sec. (No. 29 & 30 & moved  $\frac{1}{4}$  sec. post to average dis. from which a Gum 24 ins. dia. bears East 15 lbs. & a Buck 11 ins. dia. bears  $N 13^{\circ} W$  27 lbs. dis.

East Continued true line between Sec. (No. 29 & 32 & moved  $\frac{1}{4}$  sec. post on true line at average dis. from which a Sugar 12 ins. dia. bears  $S 32^{\circ} E$  26 lbs. dis. & a Sycamore 36 ins. dia. bears  $N 74^{\circ} E$  30 lbs. Came to old post corner of Sec. (No. 28. 29. 32 & 33.

South Traveled to corner of Sec. (No. 27. 28. 21 & 22 thence on Random line between Sec. (No. 27. 28. & 33. 34

30.00	a Water course 6 lbs. wide — $S 10^{\circ} E$
40.00	Set temp. $\frac{1}{4}$ sec. post
80.00	Set temp. centre post. very rough, much brush & thickets. 3 <sup>rd</sup> rate land
	Continued random between Sec. (No. 33 & 34
8.50	a Water course 10 lbs. wide — $S 16^{\circ} W$
12.50	a " " 10 " " $S 16^{\circ} W$
12.50	a " " 22 " " $S 30^{\circ} W$
19.50	a " " — " " $S 40^{\circ} E$

J. G. R. D. W. 1<sup>st</sup> Men.

35.00 a Water course — S 10° W  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 41.00 a Stream runs S 20° W  
 65.00 a Spring runs East  
 74.00 Came to S. Boundary & fell 129 lbs. West  
 from old post corner to Loc. (No. 33 & 34,  
 very hilly, much brush & briars, Oak, Ash,  
 Hickory &c. State land

North from corner last mentioned corrected line  
 between Loc. No. 33, 34 & 27 & 28  
 Moved  $\frac{1}{4}$  sec. post on true line at average dis.  
 Moved centre post on true line  
 Continued between Loc. (No. 27 & 28  
 Moved  $\frac{1}{4}$  sec. post on true line  
 Came to corner of Loc. (No. 21, 22, 27 & 28

West Traveled to corner of Loc. (No. 26, 27, 34 & 35 —  
 thence on Random line between Loc. (No. 27,  
 34 & 28, 33.

12.00 a Water course 10 lbs. wide — S 40° W  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 74.00 a Water course 20 lbs. wide — S 47° W  
 80.00 Came to N & S line. State land rising &  
 falling in small ridges of easy ascent — Oak,  
 Hickory, Ash &c.

Continued between Loc. (No. 28 & 33  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 73.94 Came to old line & fell 30 lbs. South from  
 old post corner to Loc. (No. 28, 29, 32 & 33.  
 Small ridges of easy ascent, much brush,  
 thinly timbered. Oak, Ash, Sugar &c. State

East From corner of Loc. (No. 28, 29, 32 & 33. on  
 correct line between Loc. (No. 28, 33 & 27, 34  
 Set  $\frac{1}{4}$  sec. post at average distance from which

a Beech 16 ins. dia. bears S 86° W 17 lbs. dis. & a  
 Hickory 16 " " " S 72° E 19 " "  
 Came to N & S. line & fell 11 lbs. N. from temp.  
 centre post, moved it to centre corner of Sec. (No.  
 27. 28. 33 & 34 from which a Sugar 13 ins. dia.  
 bears N 78° 7 lbs. dis. & a Do. 7 ins. dia. bears  
 S 10° W 23 lbs. dis.

North Traveled between Sec. (No. 27 & 28 and moved  $\frac{1}{4}$   
 sec. post to average distance from which a  
 Hackberry 7 ins. dia. bears East 15 lbs. dis. & a  
 Sugar 12 ins. dia. bears S 75° W 19 lbs. dis.

South Traveled between Sec. (No. 23 & 24 & moved  $\frac{1}{4}$  sec.  
 post to average distance from which a Sycamore 8 ins.  
 dia. bears S 65° W 9 lbs. dis. & a Sycamore 36 ins.  
 dia. bears N 9° W 14 lbs.

East Continue on true line between Sec. (No. 27 & 34  
 and set  $\frac{1}{4}$  sec. post at average dis. from which  
 a Sugar 14 ins. dia. bears S 15° W 11 lbs. dis. & a W.  
 ash 14 " " " N 15° E 48 " "  
 Came to old post corner to Sec. (No. 26. 27. 34 & 35

South traveled to corner of Sec. (No. 23. 24. 25 & 26 &  
 run random line between Sec. 25. 26. 35 & 36.  
 10.80 a Water course — N 45° W  
 20.00 Set temp.  $\frac{1}{4}$  sec. post  
 80.00 Set temp. centre post — 3<sup>rd</sup> rate land, small hills  
 much brush, Oak, Hickory, Sugar & C.  
 Continued between Sec. (No. 35 & 36  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 77.10 Came to S. Boundary & fell 30 lbs. West  
 from corner to Sec. (No. 35 & 36. Rough hilly  
 land 3<sup>rd</sup> rate, timber thin, much brush

S. I. R. D. W. 1<sup>st</sup> Mer.

North From corner last mentioned on correct line  
between Sec. (No. 35, 36 & 25, 26

Moved  $\frac{1}{4}$  sec. post. to average distance

Moved temp. centre post on true line

Continued between Sec. (No. 25 & 26

Set temp.  $\frac{1}{4}$  sec. post on true line at average dis.  
Came to old post corner to Sec. (No. 23 &  
24, 25 & 26

West Traveled to corner of Sec. (No. 25 & 36 on East  
Boundary on random between 25 & 36, 26 & 35

40.00 Set temp.  $\frac{1}{4}$  sec. post

78.28 Came to a N & S line, level flat of rich land,  
3<sup>rd</sup> rate Oak, Hickory, Ash & Sugar.

Continued Random between Sec. No. 26 & 35

7.00 a Water course 7 lbs. wide runs South

40.00 Set temp  $\frac{1}{4}$  sec. post

42.00 a Water course 5 lbs. wide, runs S 50° W

77.44 Came to old line & fell 1.00 lbs. North of old  
post corner to Sec. No. 26, 27, & 34, 35, 3<sup>rd</sup> rate  
land, Oak, Hickory, Sugar, Ash & D.

East Corrected between Sec. (No. 26, 35 & 25, 36

Moved  $\frac{1}{4}$  sec. post on true line at average dis.

from which a Buck 15 ins. dia. bears N 50° W

18 lbs. dis. & a Do 14 ins. dia. bears N 67° E 25 lbs. dis.

Came to N & S line & fell 2 10 lbs. N.

of temp. post. moved it to centre corner of

Sec. (No. 25, 26, 35 & 36, from which a Buck

5 ins. dia. bears N 47° E 15 lbs. & an Iron wood

5 " " " S 30° W 21 lbs. dis.

North Traveled between Sec. (No. 25 & 26 and moved

$\frac{1}{4}$  sec. post from which a Buck 18 ins. dia. bears

N 84° W 14 lbs. dis. & an Elm 6 ins. bears S 33° E 16 lbs.

South Crossed between Sec. No. 35 & 36 & moved  $\frac{1}{4}$  Sec.  
 post from which a Sugar 11 ins. dia. bears N 30 W  
 18 lrs. dis. & a Blue Ash 5 ins. dia. bears S 33 W 15 lrs.

East Continued true line between Sec. No. 25 & 36  
 and set  $\frac{1}{4}$  Sec. post on true line, from which  
 a Beech 15 ins. dia. bears S 39 E 25 lrs. dis. & a  
 Do " " " " N 66 E 8 " "  
 came to the East Boundary of Township  
 No. 9 Range No. 2 W. of the Meridian

Surveyed by  
 William Ludlow D.S.  
 in 1805

Certify that the foregoing Transcript  
 of the Field notes of Township No. 9  
 Range No. 2 West of the 1<sup>st</sup> Mer. has  
 been compared with the original in this  
 office and found to be correct

Surveyor General's Office,  
 Cincinnati, Feb. 9. 1841.

W. B. Gleason  
 Surveyor